



NETL Life Cycle Inventory Data

Process Documentation File

Process Name: Direct Land Use GHG, Reversion
Reference Flow: 1 m² of land transformation
Brief Description: Direct GHG emissions from land transformation with reversion.

Section I: Meta Data

Geographical Coverage: United States **Region:** National
Year Data Best Represents: 2009
Process Type: Basic Process (BP)
Process Scope: Gate-to-Gate Process (GG)
Allocation Applied: No
Completeness: All Relevant Flows Captured

Flows Aggregated in Data Set:

Process Energy Use Energy P&D Material P&D

Relevant Output Flows Included in Data Set:

Releases to Air: Greenhouse Gases Criteria Air Other
Releases to Water: Inorganic Organic Emissions Other
Water Usage: Water Consumption Water Demand (throughput)
Releases to Soil: Inorganic Releases Organic Releases Other

Adjustable Process Parameters:

Grassland *[dimensionless] Fraction of original land area that was grassland*
Forest *[dimensionless] Fraction of original land area that was forest*
Agriculture *[dimensionless] Fraction of original land area that was agriculture*
EF_GHG_grass *[kg/m²] Direct CO₂ emission factor per unit of grassland transformed*

EF_GHG_forest	<i>[kg/m²] Direct CO₂ emission factor per unit of forest transformed</i>
EF_GHG_ag	<i>[kg/m²] Direct CO₂ emission factor per unit of agricultural land transformed</i>

Tracked Input Flows:

Indirect land transformation	<i>[Technosphere] Transformation of land use, with no reversion to original land type</i>
------------------------------	---

Tracked Output Flows:

Land transformation	<i>Reference flow</i>
Carbon dioxide	<i>Direct GHG emissions from land transformation</i>

Section II: Process Description

Associated Documentation

This unit process is composed of this document and the data sheet (DS) *DS_Stage1-5_C_Land_Use_GHG_Reversion_2012.02.xls*, which provides additional details regarding relevant calculations, data quality, and references.

Goal and Scope

This unit process provides a summary of relevant input and output flows for the direct greenhouse gas (GHG) emissions from land transformation with reversion to the original land type. The reference flow of this unit process is: 1 m² of land transformation.

Boundary and Description

Land use effects can be roughly divided into direct and indirect. Direct land use change is determined by tracking the change from an existing land use type (native vegetation or agricultural lands) to a new land use that supports production (i.e., the production required for the supply chain of a life cycle analysis (LCA)). Indirect land use effects are changes in land use that occur as a result of the direct land use effects. For instance, if the direct effect is the conversion of agricultural land to land used for energy production, an indirect effect might be the conversion to new farmland of native vegetation, but at a remote location, in order to meet ongoing food supply/demand.

This unit process accounts only for the GHG emissions from direct land use change with reversion to the original land type. Emissions from indirect land use and direct land use with no reversion are accounted for in other unit processes.

This analysis uses data that accounts for changes in GHG emissions when alternating among forest, grassland, and agricultural land types. The data are based on research conducted by Winrock International (Harris et al., 2009) in support of the Environmental Protection Agency's (EPA) Renewable Fuels Standard (RFS) 2 final rule.

The values for direct land use GHG emissions account for changes in aboveground biomass stocks, lost forest carbon sequestration, and soil carbon flux. The Winrock data account for changes in GHG emissions over an 80 year period. The time frames within this 80 year period include the impulse of emissions in Year 0, steady-state emissions during Years 1 through 19, and steady-state emissions in Years 20-80. NETL's LCA analyses of energy systems are usually on a 30-year time frame, so this analysis calculates a 30-year direct land use GHG emission factor by assembling the Winrock data over a 30-year time frame. The GHG emissions for the reversion cases model transformation at Year 0, 2 years of emissions from conversion, Year 0 uptake emissions, 19 years of Year 1-19 uptake emissions, and 8 years of Year 20-80 uptake emissions.

The Winrock data include a set of factors for non-reversion and reversion cases. This unit process applies the factors for reversion. One set of factors is applied if the land is permanently converted to a new land use type. For example, the construction of a pipeline or transmission line will convert land to a new use, but the pipeline or transmission line right-of-ways return to their original land use type within a couple years.

This unit process also includes factors for the land use profile at a state level. This land use profile accounts for the percent shares of forest, grassland, and crops and allows determination of the previous land use type (Lubowski et al., 2006; Nickerson et al., 2011; USDA, 2011a; USDA, 2011b; USDA, 2011c). These parameters can be adjusted in the unit process if there is a better understanding of the previous land use type of the system of interest. For example, if it is unlikely that a facility will be built on agricultural land, the percent share of crop land can be set to zero, and the other land types (forest and grassland) can be rescaled accordingly.

This unit process references the amount of land use area for indirect land use change based on the amount of agricultural (crop) land that undergoes direct land use change. For every unit of agricultural land that undergoes direct change, the same area of indirect land change occurs elsewhere. The emissions from indirect land change are accounted for in another unit process.

Table 1 below presents representative reversion direct land use GHG emission factors for five states (Pennsylvania, Iowa, Alabama, Texas, and Oregon). **Table 2** provides the unit process input and output flows for those same five states. The DS associated with this DF provides land use data and GHG emission factors for the 48 contiguous states.

Figure 1: Unit Process Scope and Boundary




Table 1: Direct GHG Emission Factors with Land Reversion

Land Type	State	Direct GHG Emission Factor	
		tonne CO ₂ /hectare	kg CO ₂ /m ²
Forest	Pennsylvania	233.3	23.33
	Iowa	86.3	8.63
	Alabama	77.8	7.78
	Texas	-51.8	-5.18
	Oregon	420.7	42.07
Grassland	Pennsylvania	-33.8	-3.38
	Iowa	-40.0	-4.00
	Alabama	-27.1	-2.71
	Texas	-25.3	-2.53
	Oregon	-38.1	-3.81

Table 2: Unit Process Input and Output Flows

Flow Name	Value					Units (Per Reference Flow)
	Pennsylvania	Iowa	Alabama	Texas	Oregon	
Inputs						
Indirect land transformation	0.23	0.83	0.11	0.22	0.09	m ²
Outputs						
Land use area, reversion	1.00	1.00	1.00	1.00	1.00	m ²
Carbon dioxide	16.54	0.46	5.95	-2.26	19.53	kg

* **Bold face** clarifies that the value shown *does not* include upstream environmental flows.

Embedded Unit Processes

None.

References

Harris et al. 2009

Harris et al., 2009. Land use change and emission factors: Updates since proposed RFS rule. Environmental Protection Agency. Washington, D.C.

Lubowski et al., 2006.

Major Uses of Land in The United States, 2002. United States Department of Agriculture. Accessed on December 5, 2012 at http://www.ers.usda.gov/media/250091/eib14_1_.pdf

Nickerson et al., 2011

Major Uses of Land in the United States, 2007. United States Department of Agriculture.

USDA, 2011a	Accessed on March 18, 2013 at http://www.ers.usda.gov/publications/eib-economic-information-bulletin/eib89.aspx#.UUc4ChwqiSq Total cropland, by region and States, United States, 1945-2007. United States Department of Agriculture. Accessed on March 18, 2013 at http://www.ers.usda.gov/data-products/major-land-uses.aspx#.UUc4rRwqiSq
USDA, 2011b	Grassland pasture and range (noncropland and nonforest), by region and States, 1945-2007. United States Department of Agriculture. Accessed on March 18, 2013 at http://www.ers.usda.gov/data-products/major-land-uses.aspx#.UUc4rRwqiSq
USDA, 2011c	Total forest-use land, by region and States, 1945-2007. United States Department of Agriculture. Accessed on March 18, 2013 at http://www.ers.usda.gov/data-products/major-land-uses.aspx#.UUc4rRwqiSq



Section III: Document Control Information

Date Created: December 5, 2012

Point of Contact: Timothy Skone (NETL), Timothy.Skone@NETL.DOE.GOV

Revision History:

[2013Aug1] Updated land use profiles using 2007 data, confirmed source of GHG emission factors

How to Cite This Document: This document should be cited as:

NETL (2012). NETL Life Cycle Inventory Data – Unit Process: Direct Land Use GHG, Reversion. U.S. Department of Energy, National Energy Technology Laboratory. Last Updated: August 2013 (version 02). www.netl.doe.gov/energy-analyses (<http://www.netl.doe.gov/energy-analyses>)

Section IV: Disclaimer

Neither the U.S. Department of Energy (DOE) National Energy Technology Laboratory (NETL) nor any person acting on behalf of these organizations:

- A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this document, or that the use of any information, apparatus, method, or process disclosed in this document may not infringe on privately owned rights; or
- B. Assumes any liability with this report as to its use, or damages resulting from the use of any information, apparatus, method, or process disclosed in this document.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by NETL. The views and opinions of the authors expressed herein do not necessarily state or reflect those of NETL.