PMC-ND

(1.08.09.13)

U.S. DEPARTMENT OF ENERGY OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY NEPA DETERMINATION



RECIPIENT: Pecan Street Inc STATE: ΤX

PROJECT TITLE: **Electric Last Mile Project**

> **Funding Opportunity Announcement Number** Procurement Instrument Number NEPA Control Number CID Number

DE-FOA-0001639

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description

A9 Information

B5.1 Actions to conserve energy or water

Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer gathering, analysis, and dissemination gate in grant including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and discourse in the supply and demand studies in the sup including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor or outdoor concentrations of potentially harder long significant changes in the indoor of potentially harder long significant changes in the indoor of potential long significant changes in the indo settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, appliance enlicitory ratings, enlicitory improvements for ventices and transportation (such as freet chargeout), power storage (such as injuriedes and batteries generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings stationard-settings, or proposed DOE registation, except to those actions isset in 185. ((i)) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

If the Recipient intends to make changes to the scope or objective of this project, the Recipient is required to contact the Project Officer, identified in Block 15 of the Assistance Agreement before proceeding. The Recipient must receive notification of approval from the DOE Contracting Officer prior to commencing with work beyond that currently approved. If the Recipient moves forward with activities that are not authorized for Federal funding by the DOE Contracting Officer in advance of a final NEPA decision, the Recipient is doing so at risk of not receiving Federal funding and such costs may not be recognized as allowable cost share. Note to Specialist :

None Given.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.				
NEPA	Compliance Officer Signature:	Electronically Signed By: Jesse Garcia	Date:	9/11/2017
		NEPA Compliance Officer		
FIELD OFFICE MANAGER DETERMINATION				
	Field Office Manager review required			
NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:				
	Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention. Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.			
BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :				
Field Office Manager's Signature:			Date:	
Field Office Manager				