

**U.S. DEPARTMENT OF ENERGY  
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY  
NEPA DETERMINATION**



**RECIPIENT:** American Lung Association

**STATE:** MN

**PROJECT TITLE** Organizing and Supporting Underserved Communities to Design, Implement, and use Electric Vehicle (EV) Charging Infrastructure

<b>Notice of Funding Opportunity Number</b> DE-FOA-0002611	<b>Procurement Instrument Number</b> DE-EE0010622	<b>NEPA Control Number</b> NETL-0010622-003	<b>CID Number</b> NT10622
---	--	--	------------------------------

**Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:**

**CX, EA, EIS APPENDIX AND NUMBER:**

Description:

**B3.6 Small-scale research and development, laboratory operations, and pilot projects**

Siting, construction, modification, operation, and decommissioning of facilities for smallscale research and development projects; conventional laboratory operations (such as preparation of chemical standards and sample analysis); and small-scale pilot projects (generally less than 2 years) frequently conducted to verify a concept before demonstration actions, provided that construction or modification would be within or contiguous to a previously disturbed or developed area (where active utilities and currently used roads are readily accessible). Not included in this category are demonstration actions, meaning actions that are undertaken at a scale to show whether a technology would be viable on a larger scale and suitable for commercial deployment.

**B5.1 Actions to conserve energy or water**

(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix.

(b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not:

1. Have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance);
2. involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials);

**Get Support**

3. have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or
4. have the potential to cause a significant increase in energy consumption in a state or region.

**B5.23 Electric vehicle charging stations** The installation, modification, operation, and removal of electric vehicle charging stations, using commercially available technology, within a previously disturbed or developed area. Covered actions are limited to areas where access and parking are in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.

Rationale for determination:

This new CX determination has been signed due to the addition of installation locations.

For Categorical Exclusion Determinations:

- The proposal fits within a class of actions that is listed in Appendix B to 10 CFR Part 1021 or Appendix B and C of DOE's NEPA Implementing Procedures (June 30, 2025). To fit within the classes of actions listed in Appendix B to 10 CFR Part 1021, or Appendix B of DOE's NEPA Implementing Procedures, a proposal must satisfy the conditions that are integral elements of the classes of actions in Appendix B of both 10 CFR Part 1021 and DOE's NEPA Implementing Procedures.
- There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.
- The proposed action has not been segmented to meet the definition of a categorical exclusion.
- The proposed action is categorically excluded from further NEPA review.

**NEPA PROVISION**

DOE has made a conditional NEPA determination.

The NEPA Determination applies to the following Topic Areas, Budget Periods, and/or tasks:

Installations at the following locations:

- Earl Street Location - 361 N Cypress St, Saint Paul, MN 55106
- Etna Gold Line Station - 470 N English St, Saint Paul, MN 55106
- Rose Ave - 1396 Rose Ave E, Saint Paul, MN 55106

The NEPA Determination does not apply to the following Topic Area, Budget Periods, and/or tasks:

A completed EQ is required for the TBD location sites/charging stations. A separate NEPA review is required for any TBD location sites. This CX covers all activities except TBD location sites.

Notes:

This project number and recipient have previously received a CX on prior work. The control number reflects the prime recipient has received multiple NEPA determinations. As noted by the NEPA Control Number NETL-0010622-003, this is the 3rd CX associated with the initial award.

**SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.**

NEPA Compliance Officer Signature:

 Electronically Signed By: Casey Strickland  
NEPA Compliance Officer

Date: 5/18/2026

**FIELD OFFICE MANAGER DETERMINATION**

- Field Office Manager review not required
- Field Office Manager review required

**Get Support**

**BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :**

Field Office Manager's Signature: \_\_\_\_\_

Field Office Manager

Date: \_\_\_\_\_