

## **APPENDIX M**

### **MISSISSIPPI DEPARTMENT OF ARCHIVES AND HISTORY REPLIES TO PHASE I CULTURAL RESOURCES ASSESSMENTS**

This page intentionally left blank.



HISTORIC PRESERVATION

Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6940 • Fax 601-576-6955  
mdah.state.ms.us

October 24, 2008

Mr. John Templeton  
Mississippi Power Company  
2992 West Beach Blvd.  
Gulfport, Mississippi 39501

RE: A Phase I Cultural Resources Assessment of a Proposed Integrated Gasification  
Combined Cycle Generating Station, MDAH Project Log #09-118-08, Kemper  
County


Dear Mr. Templeton:

We have reviewed the revised cultural resources survey report by Jason A. Gardner, Principal Investigator, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that sites 22Ke604, 22Ke605, 22Ke606, 22Ke607, 22Ke608 and 22Ke609 are ineligible for listing in the National Register of Historic Places. We do not concur, however, that the standing structure identified in the report is ineligible. Rather, our staff has determined that the Goldman House is potentially eligible as a local example of a vernacular rural house with late Victorian details. As such, demolition of this resource would be an adverse effect. To mitigate the adverse effect, it is our recommendation that HABS-level documentation (including measured drawings and archival photographs) would, at a minimum, be appropriate mitigation. If, after consultation, this is determined to be the appropriate mitigation, we would be happy to provide information on the type of documentation referenced.

There remains the possibility that unrecorded cultural resources may be encountered. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

Please provide a copy of this letter to Mr. Gardner. If you need further information, please let us know.

Sincerely,

 Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs

RECEIVED  
OCT 28 2008

ENVIRONMENTAL QUALITY

Barry A. Vittor & Associates, Inc.  
8060 Cottage Hill Road  
Mobile, Alabama 36695



HISTORIC PRESERVATION

Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6940 • Fax 601-576-6955  
mdah.state.ms.us

March 10, 2009

Environmental Consulting & Technology, Inc.  
3701 Northwest 98<sup>th</sup> Street  
Gainesville, Florida 32606

RE: Phase I Cultural Resource Survey of 40-Mile CO<sub>2</sub> Pipeline, MDAH Project Log  
#02-127-09, Lauderdale, Clarke and Jasper Counties

Dear Sirs:

We have reviewed the January 14, 2009, cultural resources survey report by Natalie P. Adams, Principal Investigator, received on February 18, 2009, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that sites 22LD739, 22LD740, 22LD741, 22LD742, 22LD747, 22LD749, 22LD751, 22LD753, 22LD754, 22CK651, 22CK652, 22CK654, 22CK655, 22CK656, 22CK658, 22CK661, 22CK662, 22JS672, and 22JS673 are ineligible for listing in the National Register of Historic Places. We also concur that sites 22LD743, 22LD744, 22LD745, 22LD746, 22LD748, 22LD750, 22LD752, 22CK653, 22CK657, 22CK659, 22CK660, 22JS671 and 22JS674 are potentially eligible for listing in the NRHP, and that site 22LD755 is eligible for listing in the NRHP. We further concur with the recommendation for avoidance of the potentially eligible sites and eligible site, with Phase II and/or Phase III testing if avoidance is not possible. We also concur with the eligibility determinations for the architectural resources. Specifically, we concur that Pleasant Grove M.B. Church and Cemetery, the house on the S. side of Hwy. 513 W. of I-59 interchange, and the house at 6018 Highway 18 West are eligible for listing in the NRHP. While eligible, we also concur that the project will have no effect. We also concur that the other seven (7) properties identified in the report are ineligible for listing in the NRHP. With these determinations, we have no objection with the proposed undertaking.

There remains the possibility that unrecorded cultural resources may be encountered during the project. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

Please provide a copy of this letter to Ms. Adams. If you need further information, please let us know.

Sincerely,

Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs



HISTORIC PRESERVATION

Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6940 • Fax 601-576-6955  
mdah.state.ms.us

May 22, 2009

Mr. Hunter B. Johnson  
Principal Investigator  
Tennessee Valley Archaeological Research  
2211 Seminole Drive, Suite 302  
Huntsville, Alabama 35811

RE: A Cultural Resources Management Survey of the Proposed New Natural Gas Line, Access Roads, and Liberty Metering Site Associated with the Mississippi Power Kemper County IGCC Project, MDAH Project Log #04-090-09, Kemper County

Dear Mr. Johnson:

We have reviewed your January 2009 cultural resources survey report, received on April 15, 2009, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that sites 22Ke617, 22Ke618, 22Ke619, and the five (5) isolated finds are ineligible for listing in the National Register of Historic Places (NRHP). We also concur that neither of the standing structures identified in the report (Structures 10 and 11) are eligible for listing in the National Register of Historic Places. Therefore, we concur that the proposed natural gas line corridor will not affect any known cultural resources, and that the project may proceed as planned.

There remains the possibility that unrecorded cultural resources may be encountered during the project. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

Please provide a copy of this letter to Mississippi Power, 2992 West Beach Blvd., Gulfport, Mississippi 39501. If you need further information, please let us know.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jim", is written over a large, stylized blue circular mark.

Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs





HISTORIC PRESERVATION  
Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6940 • Fax 601-576-6955  
mdah.state.ms.us

May 26, 2009

Mr. Hunter B. Johnson  
Principal Investigator  
Tennessee Valley Archaeological Research  
2211 Seminole Drive, Suite 302  
Huntsville, Alabama 35811

RE: A Cultural Resources Management Survey of the Proposed New Transmission Lines Associated with the Mississippi Power Kemper County IGCC Project in Kemper and Lauderdale Counties, MDAH Project Log #04-185-09, Kemper and Lauderdale Counties

Dear Mr. Johnson:

We have reviewed your February 2009 cultural resources survey report, received on April 29, 2009, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that of the twenty-seven (27) new archaeological sites and twenty-six (26) isolated finds identified in the survey, two of the sites (22Ke611 and 22Ld794) are potentially eligible for listing in the National Register of Historic Places (NRHP) and should be avoided. We also concur that none of the twenty-three (23) standing structures identified in the report are eligible for listing in the National Register of Historic Places. Therefore, with the recommendation for avoidance of the two sites listed above, we concur that the proposed transmission line corridor will not adversely affect any known cultural resources, and that the project may proceed as planned.

There remains the possibility that unrecorded cultural resources may be encountered during the project. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

Please provide a copy of this letter to Mississippi Power, 2992 West Beach Blvd., Gulfport, Mississippi 39501. If you need further information, please let us know.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jim", is written over a circular blue ink stamp. The stamp contains the text "JIM WOODRICK" and "REVIEW AND COMPLIANCE OFFICER".

Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs

MISSISSIPPI DEPARTMENT of ARCHIVES AND HISTORY



HISTORIC PRESERVATION

Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6940 • Fax 601-576-6955  
mdah.state.ms.us

June 23, 2009

Mr. John Templeton  
Mississippi Power  
P.O. Box 4079  
Gulfport, Mississippi 39502-4079

RE: Phase I Cultural Resource Survey of a 40-Mile CO2 Pipeline, MDAH Project Log  
#05-161-09, Lauderdale, Clarke and Jasper Counties

Dear Mr. Templeton:

We have reviewed the April 12, 2009, cultural resources survey report by Natalie P. Adams, Principal Investigator, received on May 21, 2009, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that 22Ld755 is eligible for listing in the National Register of Historic Places and concur with the recommendation of data recovery as mitigation. We also concur that sites 22Ck653, 22Ck657, 22Ck659, 22Ck660, 22Js675, 22Js674, 22Ld743, 22Ld744, 22Ld745, 22Ld746, 22Ld748, 22Ld750 and 22Ld752 are potentially eligible for listing in the NRHP, and should be avoided. If avoidance is not possible, we concur that additional testing is appropriate. It is also our determination that the architectural resources (1, 2 and 9) are potentially eligible for listing in the NRHP, and concur that the resources will not be adversely affected by the proposed project. With these recommendations, we have no objection with the proposed undertaking.

There remains the possibility that unrecorded cultural resources may be encountered during construction. Should this occur, the applicant should immediately contact our office in order that we may offer appropriate comments under 36 CFR 800.13.

If you need further information, please let us know.

Sincerely,

Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs

RECEIVED  
JUN 25 2009





HISTORIC PRESERVATION

Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6946 • Fax 601-576-6955  
mdah.state.ms.us

September 3, 2009

Mr. John Templeton  
Environmental Specialist  
Mississippi Power  
P.O. Box 4079  
Gulfport, Mississippi 39502-4079

RE: Addendum to Phase I Archaeological Survey of a 40-Mile CO<sub>2</sub> Pipeline, MDAH  
Project Log #08-048-09, Lauderdale, Clarke and Jasper Counties


Dear Mr. Templeton:

We have reviewed the cultural resources survey report by Natalie Adams, Principal Investigator, received on August 7, 2009, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that sites 22Ck667 and 22Ck668 are ineligible for listing in the National Register of Historic Places, and concur that no other known cultural resources listed in or eligible for listing in the National Register of Historic Places are likely to be affected. We also concur with the recommendation for avoidance of the modern cemeteries. With that recommendation, we have no concerns with the proposed undertaking.

There remains the possibility that unrecorded cultural resources may be encountered during the project. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

If you need further information, please let us know.

Sincerely,



Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs

RECEIVED  
SEP 04 2009



HISTORIC PRESERVATION

Ken P'Pool, director • Jim Woodrick, acting director  
PO Box 571, Jackson, MS 39205-0571  
601-576-6940 • Fax 601-576-6955  
mdah.state.ms.us

September 4, 2009

Mississippi Power Company  
2992 West Beach Blvd.  
Gulfport, Mississippi 39501

RE: An Addendum to a Cultural Resource Management Survey of the Proposed New Transmission Lines Associated with the Mississippi Power Kemper County IGCC Project, MDAH Project Log #08-049-09, Kemper and Lauderdale Counties

Dear Sirs:

We have reviewed the June 2009 cultural resources survey report by Hunter B. Johnson, Principal Investigator, received on August 7, 2009, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that no known cultural resources listed in or eligible for listing in the National Register of Historic Places are likely to be affected. Therefore, we have no objections with the proposed undertaking.

There remains the possibility that unrecorded cultural resources may be encountered during the project. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

Please provide a copy of this letter to Mr. Johnson. If you need further information, please let us know.

Sincerely,

Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

c: Clearinghouse for Federal Programs

RECEIVED  
SEP 10 2009



PO Box 571, Jackson, MS 39205-0571  
601-576-6850 • Fax 601-576-6975  
mdah.state.ms.us  
*H T Holmes, Director*

February 3, 2010

Mr. John Templeton  
Environmental Specialist  
Mississippi Power  
2992 West Beach Blvd.  
Gulfport, Mississippi 39502-4079

RE: Phase I Cultural Resource Survey of a 13.5-Mile Water Pipeline, MDAH Project  
Log #01-084-10, Lauderdale County

Dear Mr. Thompson:

We received the December 2, 2009, draft cultural resources survey report by Natalie Adams, Principal Investigator, on January 15, 2010, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that the Resources 2, 4, 6, 7 and 8 are eligible for listing in the National Register of Historic Places, and that Resources 1, 3 and 5 are ineligible for listing in the NRHP. We also concur, for the architectural resources, that the proposed project will have no adverse effect. For the archaeological resources, we concur that site 22Ld798, a previously recorded site, is potentially eligible for listing in the NRHP and should be avoided. We also concur that site 22Ld773 is ineligible for listing in the NRHP. With these recommendations, it is our determination that the proposed project will have no adverse effect on cultural resources. Therefore, we have no objection with the proposed project.

There remains the possibility that unrecorded cultural resources may be encountered. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

Thank you for providing the additional information requested. If you have any questions, please let us know.

Sincerely,

  
Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer



PO Box 571, Jackson, MS 39205-0571  
601-576-6850 • Fax 601-576-6975  
mdah.state.ms.us  
*H. T. Holmes, Director*

April 20, 2010

Mr. John Templeton  
Mississippi Power  
P.O. Box 4079  
Gulfport, Mississippi 39502-4079

RE: Phase I Cultural Resource Survey of a 13.5-Mile Water Pipeline, MDAH Project  
Log #03-190-10, Lauderdale County


Dear Mr. Templeton:

We have reviewed the February 18, 2010, cultural resources survey report by Natalie Adams, Principal Investigator, received on March 23, 2010, for the above referenced undertaking, pursuant to our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, we concur that the newly recorded site (22Ld798) is ineligible for listing in the National Register of Historic Places. We also concur that the previously recorded site (22Ld773) is potentially eligible for listing in the NRHP and should be avoided. If unable to be avoided, we concur with the recommendation for Phase II testing to determine eligibility and further delineate the site. For the architectural resources, we concur that Resources 1, 3 and 5 are ineligible for listing in the NRHP, and concur that resources 2, 4, 6, 7 and 8 are eligible for listing in the NRHP. We further concur that the proposed water line project will have no adverse effect to these resources. With the condition for site 22Ld773, therefore, we have no reservations with the project.

There remains the possibility that unrecorded cultural resources may be encountered during the project. Should this occur, we would appreciate your contacting this office immediately in order that we may offer appropriate comments under 36 CFR 800.13.

If you need further information, please let us know.

Sincerely,

  
Jim Woodrick  
Review and Compliance Officer

FOR: H.T. Holmes  
State Historic Preservation Officer

RECEIVED  
APR 22 2010  
ENVIRONMENTAL QUALITY