

# Center for Geologic Storage of CO<sub>2</sub>

Scott M. Frailey, Ph.D., P.E.
GSCO2 Director and Senior Reservoir Engineer
Illinois State Geological Survey
University of Illinois at Urbana-Champaign

USDOE NETL

Annual Carbon Storage R&D Review Meeting
Pittsburg, PA

August 18 - 20, 2015









## Midwest Geological Sequestration Consortium

- Three CO<sub>2</sub> enhanced oil recovery pilot projects:
  - Sugar Creek, Mumford Hills, and Loudon
- A CO<sub>2</sub> enhanced coalbed methane pilot project:
  - Tanquary
- A saline demonstration project:
  - IBDP
- Uncertainty and limitations in applied technology observed in several field projects



#### **GSCO2** Aims

- Predicting the location and distribution of the injected CO<sub>2</sub> within the storage reservoir
- Identifying the mechanism(s) of injectioninduced microseismicity, and controlling, locating, and predicting its occurrence





## **GSCO2** Objective and Theme


Overarching Objective:

Pursue basic science solutions to recognized uncertainty in CO<sub>2</sub> storage technology

• Overarching Theme:



Use-Inspired Basic Research








#### Research Themes and Scales

- Geology
- Geophysics
- Geomechanics
- Multiphysics Flow and Transport

- Molecular simulations
- Pore-scale modeling
- Macro-scale modeling
- Site-scale



## **GSCO2** Organizational Structure





#### Research Theme: Statements and Collaborators

- Geology (ISGS, UIUC, WSU):

  Identify and predict geologic properties that control CO
- Identify and predict geologic properties that control CO<sub>2</sub> distribution and brine displacement
- Geophysics (UTA, SINTEF):
   Image and locate injected CO<sub>2</sub> in the subsurface with greater certainty to reduce risk of CO<sub>2</sub> storage
- Geomechanics (NORSAR, SINTEF, Schlumberger):

  Identify and characterize the geologic features that cause microseismicity so
  that it can be predicted and controlled
- Multiphysics Flow (ISGS, USC, UTA, UIUC, NETL, ND) Predict the three-dimensional distribution of CO<sub>2</sub> within the storage reservoir





### **GSCO2** Poster Highlights





#### Research Theme Posters

- Geology and Geocellular Modeling
  - Scales of sedimentary architecture characterized and defined
  - Geocellular modeling method development that scales and represents geologic models
- Geomechanics
  - Development of algorithms to locate measured microseismic events
  - Geologic laboratory experiments scaled to reservoir/site scale





## Research Theme Posters, contd.

- Geophysics
  - Core-scale mechanical properties validate new porescale modeling
  - Pore and core integrated in site-scale seismic
- Multiphysics Flow and Transport Modeling
  - Molecular scale adsorption and wetting behavior analyzed at reservoir temperature and pressure
  - Microfluidic, pore-scale lab experiments with a pore network computational model
  - Site scale modeling: high resolution geocellular model, lab/model based rel perm and cap press



## **Specific Research Posters**

- Integration of Seismic Measurements
  - Direct use of S-waves for seismic imaging (vs. traditional P-wave only analyses)
  - Differentiating seismic interpretation models
- Pore-Scale Modeling
  - Synergistic experiments of wettability and porescale heterogeneity of water-CO2 flow dynamics
  - Pore-scale model development informed and validated by wettability and flow experiments
  - Upscale pore-scale models to reservoir-scale



# Center for Geologic Storage of CO<sub>2</sub> Our Collaborators

This presentation was supported as part of the Center of Geological Storage of CO<sub>2</sub>, an Energy Frontier Research Center funded by the U.S. Department of Energy, Office of Science.

Data for this project were provided, in part, by work supported by the U.S. Department of Energy under award number DE-FC26-05NT42588 and the Illinois Department of Commerce and Economic Opportunity.























