





University of Puerto Rico-Mayagüez (UPRM)

The Electrical and Computer Engineering Department

(www.ece.uprm.edu)

Methods to analyze power quality in communities vulnerable to hurricane events and evaluate controllers to improve the power quality using Microgrids

Profesor: Fabio Andrade, PhD

Outline



PR Energy Challenges
Resilient at UPRM Research
Resilient at LLNL Research
Activities at LLNL



Hurricane Fiona: Power Impact





LLNL-PRES-852287 7/27/2023

Hurricane Maria: Power Impact




















Rebuilding Puerto Rico's power grid: The inside story - M Gallucci - IEEE Spectrum, 2018

Hurricane Maria Effects on Puerto Rico Electric Power Infrastructure - A. Kwasinski, F. Andrade, M. Castro-Sitiriche, and E. O'Neill-Carrillo

Communities with homes that were reconnected to PREPA from April to August 2018: 62,000 families



Barrio Salud, Mayagüez PR.










Photo: Fabio Andrade, June 2020.

Solar power potential



Barrio Salud, Mayagüez PR.




Source: Google Project Sunroof.

Current state of the rooftops

SEC Sustainable

Barrio Salud, Mayagüez PR.









Outline




PR Energy Challenges
Resilient at UPRM Research
Resilient at LLNL Research
Activities at LLNL







"Oasis de Luz" ... Oasis of Light for the Mountain







Pilot Microgrids in Puerto Rico

Microgrid Laboratory and Solar Workforce Development





UPRM Team: Marcel Castro-Sitiriche, Agustín Irizarry, Fabio Andrade, Gerson Beauchamp from Electrical and Computer Engineering, Arturo Massol from Biology, Solar Business Accelerator Project, EDA Funds, 2019-2023 and Resilient Operation of Networked Community Microgrids with High Solar Penetration Project, DOE Funds, 2021-2024.
















Adjuntas -Microgrid







UPRM Power Community Engagement: Communities in 19 Municipalities






















UPRM Team: Luisa Seijo from Social Sciences, Ricardo Fuentes from Economics, Lizzette González from Agricultural Science, Reinaldo Rosado from Social Sciences, Ingrid Rodríguez from Social Sciences, Francisco Maldonado from Civil Engineering, Marcel Castro-Sitiriche, Agustín Irizarry, Efraín O'Neill, Erick Aponte, Lionel Orama, Eduardo Ortiz, Rafael Rodríguez-Solís Fabio Andrade, Gerson Beauchamp from Electrical and Computer Engineering, Arturo Massol from Biology, Christopher Papadopoulos from Engineering Sciences, William Frey from Business Administration, 2019-2024.

UPRM's Microgrid Laboratory





































23

Outline



PR Energy Challenges
Resilient at UPRM Research
Resilient at LLNL Research
Activities at LLNL



Resilient at LLNL Research








LLNL-PRES-852287



14 National Laboratories Partnering With Industry To Build A Cleaner, More Resilient Power Grid For The Nation






A Framework for Coordinated Self-Assembly of Networked Microgrids Using Consensus Algorithms

Resilient at LLNL Research






overlapping in microgrid control development and demonstration – LLNL contribution being de-centralized (cyber-secure) control and UPRM contribution being demonstration / testing in microgrid testbed environment.


ge | 26 26

Resilient at LLNL Research










North American Energy Resilience Model (NAERM)

The different elements are assembled in relation to the threat and hazard scenarios being addressed



Software Toolbox Modular / Adaptable / Flexible

Outline



PR Energy Challenges
Resilient at UPRM Research
Resilient at LLNL Research
Activities at LLNL



Activities at LLNL





U.S. Department of Energy Microgrids R&D Program Semi-Annual Meeting

August 29-30, 2023 @ Berkeley Lab









29



Thank you!!! Questions???







Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.

This material is supported in part by the Department of Energy National Nuclear Security Administration through the Consortium of Hybrid Resilient Energy Systems (CHRES) under Award Number DE-NA0003982. This work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.